L Number	Hits	Search Text	DB	Time stamp
1	2	"20020118881"	USPAT;	2004/06/14 11:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
2	20302	line adj1 base\$2	USPAT;	2004/06/14 11:47
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
3	622	_L	USOCR USPAT;	2004/06/14 11:51
3	622	shape adj1 descript\$4	US-PGPUB;	2004/00/14 11.51
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
5	5	(line adj1 base\$2) same (shape adj1 descript\$4)	USPAT;	2004/06/14 11:47
		(a.g. ((()	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
4	5	(line adj1 base\$2) with (shape adj1 descript\$4)	USPAT;	2004/06/14 11:48
			US-PGPUB;	
i			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
	_	(11 11 10 10 11 11 11 11 11 11 11 11 11 1	USOCR	2004/06/14 11 40
6	6	(line adj1 base\$2) and (shape adj1 descript\$4)	USPAT;	2004/06/14 11:49
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB;	
			USOCR	
7	135	(line adj1 base\$2) with descript\$4	USPAT;	2004/06/14 11:52
'	100	(adj. babba) min abbripa	US-PGPUB;	200 1/00/11 11:52
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
8	17116	image near2 (match\$4 or query)	USPAT;	2004/06/14 13:59
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
9	5	((line adj1 base\$2) with descript\$4) and (image near2 (match\$4 or	USOCR	2004/04/14 11:52
	,	(time add) base\$2) with descript\$4) and (image near2 (match\$4 or query))	USPAT; US-PGPUB;	2004/06/14 11:52
		queiy))	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
10	253906	line with descript\$4	USPAT;	2004/06/14 13:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	

11	473	(line with descript\$4) and (image near2 (match\$4 or query))	USPAT; US-PGPUB;	2004/06/14 11:53
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
12	46	(line with descript\$4) same (image near2 (match\$4 or query))	USPAT;	2004/06/14 11:53
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB;	
			USOCR	
13	11	(line with descript\$4) with (image near2 (match\$4 or query))	USPAT;	2004/06/14 11:53
		. , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
14	646	 (query or refrence) adj2 image	USOCR	2004/06/14 11:58
14	040	(query of refrence) adj2 illiage	USPAT; US-PGPUB;	2004/00/14 11:38
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
15	78870	(model or object) adj2 image	USPAT;	2004/06/14 11:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB;	
			USOCR	
16	68	((query or refrence) adj2 image) same ((model or object) adj2 image)	USPAT;	2004/06/14 11:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
Ì			IBM_TDB;	
18	0	(((query or refrence) adj2 image) same ((model or object) adj2 image))	USOCR USPAT;	2004/06/14 11:58
10		same line-based	US-PGPUB;	2004/00/14 11.56
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
,,	_		USOCR	
17	5	(((query or refrence) adj2 image) same ((model or object) adj2 image))	USPAT;	2004/06/14 13:21
		same line	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB;	
Œ			USOCR	
19	4	("5579471" "5647058" "5852823" "5893095").PN.	USPAT	2004/06/14 13:21
20	3	6269358.URPN.	USPAT	2004/06/14 13:21
21 22	4 3	("5579471" "5647058" "5852823" "5893095").PN.	USPAT	2004/06/14 13:21
22 23	9	6240424.URPN. (("5579471" "5647058" "5852823" "5893095").PN.) or	USPAT USPAT;	2004/06/14 13:21 2004/06/14 13:21
23		((3373471 3047038 3832823 3893093),FN.) 01 6269358.URPN. or (("5579471" "5647058" "5852823"	US-PGPUB;	2004/00/14 13.21
		"5893095").PN.) or 6240424.URPN.	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
24	571524	line with (descript\$4 or feature or information)	USPAT;	2004/06/14 13:23
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	

25	145297	line near4 (descript\$4 or feature or information)	USPAT;	2004/06/14 13:23
23	1432)/	interieur (descripts of reature of information)	US-PGPUB;	2004/00/14 13.23
			EPO; JPO;	
			DERWENT;	
			IBM TDB;	
			USOCR USOCR	
26	0	(line near4 (descript\$4 or feature or information)) and ((("5579471")	USPAT;	2004/06/14 13:23
20	· ·	"5647058" "5852823" "5893095").PN.) or 6269358.URPN. or	US-PGPUB;	2004/00/14 13.23
		(("5579471" "5647058" "5852823" "5893095").PN.) or	EPO; JPO;	
		6240424.URPN.)	DERWENT;	
ŀ	İ	0210121.0Id (V.)	IBM_TDB;	
			USOCR USOCR	
27	1	(line with (descript\$4 or feature or information)) and ((("5579471")	USPAT;	2004/06/14 13:25
	1	"5647058" "5852823" "5893095").PN.) or 6269358.URPN. or	US-PGPUB;	2004/00/14 13.23
		(("5579471" "5647058" "5852823" "5893095").PN.) or	,	
	İ	6240424.URPN.)	EPO; JPO; DERWENT;	
		0240424.ORI N.)	-	
			IBM_TDB; USOCR	
28	5535855	line		2004/06/14 12-25
20	3333633	inic	USPAT;	2004/06/14 13:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
30	5	line and ((("5570471"	USOCR	2004/06/14 12 27
30)	line and ((("5579471" "5647058" "5852823" "5893095").PN.) or	USPAT;	2004/06/14 13:37
		6269358.URPN. or (("5579471" "5647058" "5852823"	US-PGPUB;	
		"5893095").PN.) or 6240424.URPN.)	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
44	60757	match \$4 man 2 Comment with the second secon	USOCR	
44	60757	match\$4 near3 (image or picture or pattern or object)	USPAT;	2004/06/14 13:47
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
45	2923696	footing an attailute on annual	USOCR	0004/06/14 10 45
43	2923090	feature or attribute or query	USPAT;	2004/06/14 13:47
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
56	251016	line with (slame an laweth as wild the slife with a second state of the slife state of th	USOCR	************
30	351016	line with (slope or length or middle adj2 point or angular adj1 difference	USPAT;	2004/06/14 13:55
		or angle near2 lines! or ratio near2 lengths! or (relative adj1 location or	US-PGPUB;	
		relative adj1 distance) near2 linbes!)	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
57	154	(line with (slave as level) as with the US of the state o	USOCR	
57	154	(line with (slope or length or middle adj2 point or angular adj1 difference	USPAT;	2004/06/14 13:55
		or angle near2 lines! or ratio near2 lengths! or (relative adj1 location or	US-PGPUB;	
		relative adj1 distance) near2 linbes!)) with (match\$4 near3 (image or	EPO; JPO;	
		picture or pattern or object))	DERWENT;	
			IBM_TDB;	
50	450	///	USOCR	
58	470	(line with (slope or length or middle adj2 point or angular adj1 difference	USPAT;	2004/06/14 13:55
		or angle near2 lines! or ratio near2 lengths! or (relative adjl location or	US-PGPUB;	
		relative adj1 distance) near2 linbes!)) same (match\$4 near3 (image or	EPO; JPO;	
]	picture or pattern or object))	DERWENT;	
			IBM_TDB;	
			USOCR	

59	5173	(line with (slope or length or middle adj2 point or angular adj1 difference or angle near2 lines! or ratio near2 lengths! or (relative adj1 location or relative adj1 distance) near2 linbes!)) and (match\$4 near3 (image or picture or pattern or object))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB;	2004/06/14 13:55
60	4753	(line with (slope or length or middle adj2 point or angular adj1 difference or angle near2 lines! or ratio near2 lengths! or (relative adj1 location or relative adj1 distance) near2 linbes!)) with (feature or attribute or query)	USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB;	2004/06/14 13:56
61	29105	(line with (slope or length or middle adj2 point or angular adj1 difference or angle near2 lines! or ratio near2 lengths! or (relative adj1 location or relative adj1 distance) near2 linbes!)) same (feature or attribute or query)	USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/14 13:56
62	162442	(line with (slope or length or middle adj2 point or angular adj1 difference or angle near2 lines! or ratio near2 lengths! or (relative adj1 location or relative adj1 distance) near2 linbes!)) and (feature or attribute or query)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/14 13:56
63	3836	((line with (slope or length or middle adj2 point or angular adj1 difference or angle near2 lines! or ratio near2 lengths! or (relative adj1 location or relative adj1 distance) near2 linbes!)) and (match\$4 near3 (image or picture or pattern or object))) and ((line with (slope or length or middle adj2 point or angular adj1 difference or angle near2 lines! or ratio near2 lengths! or (relative adj1 location or relative adj1 distance) near2 linbes!)) and (feature or attribute or query))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/14 13:57
64	4	((line with (slope or length or middle adj2 point or angular adj1 difference or angle near2 lines! or ratio near2 lengths! or (relative adj1 location or relative adj1 distance) near2 linbes!)) with (match\$4 near3 (image or picture or pattern or object))) with ((line with (slope or length or middle adj2 point or angular adj1 difference or angle near2 lines! or ratio near2 lengths! or (relative adj1 location or relative adj1 distance) near2 linbes!)) with (feature or attribute or query))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/14 13:57
65	5	((line with (slope or length or middle adj2 point or angular adj1 difference or angle near2 lines! or ratio near2 lengths! or (relative adj1 location or relative adj1 distance) near2 linbes!)) with (match\$4 near3 (image or picture or pattern or object))) same ((line with (slope or length or middle adj2 point or angular adj1 difference or angle near2 lines! or ratio near2 lengths! or (relative adj1 location or relative adj1 distance) near2 linbes!)) with (feature or attribute or query))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/14 13:57
67	72	((line with (slope or length or middle adj2 point or angular adj1 difference or angle near2 lines! or ratio near2 lengths! or (relative adj1 location or relative adj1 distance) near2 linbes!)) same (match\$4 near3 (image or picture or pattern or object))) same ((line with (slope or length or middle adj2 point or angular adj1 difference or angle near2 lines! or ratio near2 lengths! or (relative adj1 location or relative adj1 distance) near2 linbes!)) same (feature or attribute or query))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/14 13:58
66	9	((line with (slope or length or middle adj2 point or angular adj1 difference or angle near2 lines! or ratio near2 lengths! or (relative adj1 location or relative adj1 distance) near2 linbes!)) with (match\$4 near3 (image or picture or pattern or object))) and ((line with (slope or length or middle adj2 point or angular adj1 difference or angle near2 lines! or ratio near2 lengths! or (relative adj1 location or relative adj1 distance) near2 linbes!)) with (feature or attribute or query))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/14 13:58
69	948298	match\$4 or query	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/14 14:00

68	92	((line with (slope or length or middle adj2 point or angular adj1	USPAT;	2004/06/14 14:19
		difference or angle near2 lines! or ratio near2 lengths! or (relative adj1	US-PGPUB;	
		location or relative adj1 distance) near2 linbes!)) same (match\$4 near3	EPO; JPO;	
		(image or picture or pattern or object))) and ((line with (slope or length	DERWENT;	
		or middle adj2 point or angular adj1 difference or angle near2 lines! or	IBM_TDB;	
		ratio near2 lengths! or (relative adj1 location or relative adj1 distance)	USOCR	
		near2 linbes!)) same (feature or attribute or query))		
70	73	(((line with (slope or length or middle adj2 point or angular adj1	USPAT;	2004/06/14 14:20
	}	difference or angle near2 lines! or ratio near2 lengths! or (relative adj1	US-PGPUB;	
	1	location or relative adj1 distance) near2 linbes!)) same (match\$4 near3	EPO; JPO;	
		(image or picture or pattern or object))) and ((line with (slope or length	DERWENT;	
		or middle adj2 point or angular adj1 difference or angle near2 lines! or	IBM_TDB;	
	İ	ratio near2 lengths! or (relative adj1 location or relative adj1 distance)	USOCR	
	ĺ	near2 linbes!)) same (feature or attribute or query))) and matching		